

Superintendent Schrader provided documentation with the activities of the Water District for the current week. General discussions were held relating to the operation of the District as follows. Discussions were held on each project.

Shelter Rock #1 and #2	Concrete forms and rebar installations for foundation walls continue.
251 Searingtown (Toll Bros)	August 8, 2022 water main tentative start date. Dome still leaking. Condo wants to meet on site to discuss the placement of the arborvitaes.
T-Mobile	Waiting for final draft of amendment.
Continental Water Main	Final restoration underway. Waiting on a change order additional pavement thickness in trench.
Spruce Pond Well	Prior to continue with filing the easement.
Tank Maintenance RFP	RFP's under review. August 2, 2022 zoom meeting.
Cumberland Well	Installation of new pump and column scheduled to begin Friday.
1,4 Dioxane Deposition	Scheduled for August 4, 2022. In MLWD Board Room.

**RESOLUTION OF THE MANHASSET-LAKEVILLE WATER DISTRICT
RELATING TO APPROVAL OF CHECKS
ORGANIZATION NUMBER 1**

To the Treasurer:

I certify that the vouchers on the submitted check register were audited by the Board of Commissioners of the Manhasset-Lakeville WATER District on 8/01/22 and are allowed in the amounts shown. You are hereby authorized and directed to pay to each of the claimants the amount indicated on the opposite of his name.

Commissioner Morris
Manhasset-Lakeville Water District

Date: 8/01/22

Commissioner Sauvigne proposed the following motion, seconded by Commissioner Flynn

WHEREAS the purchases for goods and services identified and presented to the Board of Commissioners this date, 8/01/22, have been found to be properly acknowledged as received or due, and have been audited according to the tenets of Town Law §176 (4a) and in compliance with the Procurement Policy of the Manhasset-Lakeville WATER District and,

WHEREAS, the audit of claims by the Board of Commissioners is a deliberate process to determine that the proposed payment is proper and just and satisfies the following criteria:

- The proposed payment is for a valid and legal purpose.
- The obligation was incurred by an authorized official.
- The goods or commodities for which payment is claimed were actually rendered.
- The obligation does not exceed the available appropriation.
- The claim is in proper form; it is mathematically correct; it meets legal requirements; it does not include any charges for taxes from which the organization is exempt; it includes

discounts to which the organization is entitled it does not include charges previously claimed and paid; and it is in agreement with an attached invoice.

NOW, THEREFORE, it is hereby

RESOLVED to approve payment to the vendors identified on Check Number 11807 Thru Check Number 11820 this date.

The adoption of the foregoing Resolution (#W145-22) was duly put to a vote on roll call, which resulted as follows:

Ayes: Commissioner Morris, Commissioner Sauvigne, Commissioner Flynn
Nays: None

RESOLUTION OF THE MANHASSET-LAKEVILLE WATER DISTRICT RELATING TO APPROVAL OF EXPENDITURES

Commissioner Morris proposed the following motion, seconded by Commissioner Sauvigne

WHEREAS, the purchase of goods and services identified and presented to the Board of Commissioners this date, 8/01/2022 have been found to be properly acknowledged as requested expenditures, according to the Procurement Policy of the Manhasset-Lakeville Water District,

NOW, THEREFORE, it is hereby

RESOLVED to approve purchase to the vendors identified on Board of Commissioners Expenditure Request form submitted to the Board by the Superintendent as follows:

Approval of Expenditures:

VENDOR	DESCRIPTION	AMOUNT	BUDGET NUMBER	PURCHASE SUPPORT
N.W Management Inc	Searingtown SCADA antenna replacement. (Includes \$2,050 for an externally provided lift truck)	\$5,575.00	8320.475.B	NR
	TOT. AMT. REQ.	\$5,575.00		

The adoption of the foregoing Resolution (#W146-22) was duly put to a vote on roll call, which resulted as follows:

Ayes: Commissioner Flynn, Commissioner Sauvigne, Commissioner Morris
Nays: None

There was no board correspondence.

Meeting adjourned at 5:00 p.m. I hereby certify the aforementioned is a true and exact copy of the Minutes of Meeting held on August 1, 2022.

Brian Morris, Secretary

:ap